Application No.: 10/673,271 Docket No.: SON-2863/CIP

## **AMENDMENTS TO THE CLAIMS**

Please cancel claims 2, 4, 6 and 8 without prejudice or disclaimer of their underlying subject matter.

1. (original) A liquid crystal display element configured by holding a liquid crystal layer between a pair of substrates arranged to face to each other, wherein:

a twisted nematic type liquid crystal material used in said liquid crystal layer satisfies dielectric constant anisotropy  $\Delta\epsilon$  of  $0<\Delta\epsilon<8$  and twist elasticity modulus K22 of K22 > 6.0 pN when the refractive index anisotropy  $\Delta n$  is  $0.16 \le \Delta n \le 0.18$ .

## 2. (canceled)

3. (original) A liquid crystal display element as set forth in claim 1, wherein a range of a cell gap d indicating a distance between said substrates of said liquid crystal display element is  $2.0~\mu m \le d \le 3.0~\mu m$ .

## 4. (canceled)

5. (original) A liquid crystal display element as set forth in claim 1, wherein a range of a pixel size of a pixel of said liquid crystal display element is 18 μm or less.

3

Application No.: 10/673,271 Docket No.: SON-2863/CIP

6. (canceled)

7. (original) A projection type display device comprising:

a light source;

a light convergence optical system for guiding a light emitted from said light source to a liquid crystal display element; and

a projection optical system for enlarging and projecting a light subjected to light modulation by said liquid crystal display element;

wherein said liquid crystal display element is configured by holding a liquid crystal layer between a pair of substrates arranged to face to each other, and

a twisted nematic type liquid crystal material used in said liquid crystal layer satisfies dielectric constant anisotropy  $\Delta \varepsilon$  of  $0 < \Delta \varepsilon < 8$  and twist elasticity modulus K22 of K22 > 6.0 pN when the refractive index anisotropy  $\Delta n$  is  $0.16 \le \Delta n \le 0.18$ .

8. (canceled)

DC187471.DOC 4